

1. Sugiura S., Shin K., Kanamori T.: Perfusion Culture of Endothelial Cells under Shear Stress on Microporous Membrane in a Pressure-Driven Microphysiological System, *J.Biosci.Bioeng.*, DOI: 10.1016/j.jbiosc.2022.09.005.
2. Shinohara M., Arakawa H., Oda Y., Shiraki N., Sugiura S., Nishiuchi T., Satoh T., Iino K., Leo S., Kato Y., Araya K., Kawanishi T., Nakatsuji T., Mitsuta M., Inamura K., Goto T., Shinha K., Nihei Y., Komori K., Nishikawa M., Kume S., Kato Y., Kanamori T., Sakai Y., Kimura H.: Coculture with hiPS-Derived Intestinal Cells Enhanced Human Hepatocyte Functions in a Pneumatic-Pressure-Driven Two-Organ Microphysiological System, *Sci.Rep.*, **11**, 1-10 (2021)
3. Nakatani E., Yamazaki W., Sugiura S., Kanamori T., Ohnuma K.: Modeling of Differentiation Pattern Formation in Human Induced Pluripotent Stem Cells Mediated by BMP4 and its Inhibitor Noggin Secreted from Cells, *Biochem.Eng.J.*, **176**, 108159 (2021)
4. Baba T., Takagi T., Sumaru K., Kanamori T., Dewa T., Nango M.: Membrane Properties of Ether-Type Phosphatidylcholine Bearing Partially Fluorinated C18-Monoacetylenic Chains and their Applicability to Membrane Protein Reconstitution Matrices, *Colloids Surf.B*, **198**, 111459 (2021)
5. Marx U., Akabane T., Andersson T.B., Baker E., Beilmann M., Beken R.S., Brendler-Schwaab S., Cirit M., David , Dehne E.-M., Durieux I., Ewart L., Fitzpatrick S.C., Frey O., Fuchs F., Griffith L.G., Hamilton G.A., Hartung T., Hoeng J., Hogberg H., Hughes D.J., Ingber D.E., Iskandar A., Kanamori T., Kojima H., Kuehn J., Leist M., Li B., Loskill P., Mendrick D.L., Neumann T., Pallocca G., Rusyn I., Smirnova L., Steger-Hartmann T., Tagle D.A., Tonevitsky A., Tsyb S., Trapecar M., van de Water B., van den Eijnden-van Raaij J., Vulto P., Watanabe K., Wolf A., Zhou X., Roth A.: Biology-Inspired Microphysiological Systems to Advance Patient Benefit and Animal Welfare in Drug Development, *Altex*, **37**, 365-394 (2020)
6. Figarol A., Piantino M., Furihata T., Satoh T., Sugiura S., Kanamori T., Matsusaki M.: Interstitial Flow Regulates *in vitro* Three-Dimensional Self-Organized Brain Micro-Vessels, *Biochem.Biophys.Res.Commun.*, **533**, 600-606 (2020)

7. Watanabe U., Sugiura S., Kakehata M., Yanagawa F., Takagi T., Sumaru K., Satoh T., Tamura M., Hosokawa Y., Torizuka K., Kanamori T.: Fabrication of Hollow Structures in Photodegradable Hydrogels Using a Multi-Photon Excitation Process for Blood Vessel Tissue Engineering, *Micromachines*, **11**, 679 (2020)
8. Kurihara K., Hokari R., Satoh T., Sugiura S., Miyake K., Kanamori T.: Low-Deformation Precision Thermal Bonding of Nanostructured Microfluidic Chips, *Jpn.J.Appl.Phys.*, DOI: 10.35848/1347-4065/ab78ea (2020)
9. Arakawa H., Sugiura S., Kawanishi T., Shin K., Toyoda H., Satoh T., Sakai Y., Kanamori T., Kato Y.: Kinetic Analysis of Sequential Metabolism of Triazolam and Its Extrapolation to Humans Using an Entero-Hepatic Two-Organ Microphysiological System, *Lab Chip*, **20**, 537-547 (2020)
10. Baba T., Takagi T., Sumaru K., Kanamori T.: Effect of the Fluorination Degree of Partially Fluorinated Octyl-Phosphocholine Surfactants on Their Interfacial Properties and Interactions with Purple Membrane as a Membrane Protein Model, *Chem.Phys.Lipids*, **227**, 104870 (2020)
11. Tsuyukubo A., Sumaru K., Kanamori T.: Photolithographic Fabrication of Semi 3-D Microstructures Composed of Flexible Hydrogel Sheet for *in vivo*-Like Cell Culture System, *ACS Appl.Bio Mater.*, **2**, 4129-4133 (2019)
12. Komatsu H., Sakai K., Baba T., Takagi T., Kanamori T.: Aggregation Behavior of Short-Chained Archaeal Phospholipid Analogs: Contribution Methyl Branches to Lipid Hydrophobicity and Membrane Formability, *Colloid Interface Sci.*, **32**, UNSP100200 (2019)
13. Shimoaka T., Sonoyama M., Amii H., Takagi T., Kanamori T., Hasegawa T.: Raman Optical Activity on a Solid Sample: Identification of Atropisomers of Perfluoroalkyl Chains Having a Helical Conformation and No Chiral Center, *J.Phys.Chem.A*, **123**, 3985-3991 (2019)
14. Hirama H., Satoh T., Sugiura S., Shin K., Onuki-Nagasaki R., Kanamori T., Inoue T.: Glass-Based Organ-on-a-Chip Device for Restricting Small Molecular Absorption, *J.Biosci.Bioeng.*, **127**, 641-

15. Kise R., A., Shioya N., Shimoaka T., Sonoyama M., Amii H., Takagi T., Kanamori T., Eda K., Hasegawa T.: Fluorous Property of a Short Perfluoroalkyl-Containing Compound Realized by Self-Assembled Monolayer Technique on a Silicon Substrate, *Bull. Chem. Soc. Jpn.*, **92**, 785-789 (2019)
16. Takahashi H., Yoshino M., Morita K., Takagi T., Yokoyama Y., Kikukawa T., Amii H., Kanamori T., Sonoyama M.: Stability of the Two-Dimensional Lattice of Bacteriorhodopsin Reconstituted in Partially Fluorinated Phosphatidylcholine Bilayers, *Biochim. Biophys. ACTA-Biomembr.*, **1861**, 632-642 (2019)
17. Kanamori T., Sugiura S., Sakai Y.: Technical Aspects of Microphysiological Systems (MPS) as a Promising Wet Human-in-vivo Simulator, *Drug Metab. Pharmacokinet.*, **33**, 40-42 (2018)
18. Shibuta M., Tamura M., Kanie K., Yanagisawa M., Matsui H., Satoh T., Takagi T., Kanamori T., Sugiura S., Kato R.: Imaging Cell Picker: a Morphology-Based Automated Cell Separation System on A Photodegradable Hydrogel Culture Platform, *J. Biosci. Bioeng.*, **126**, 653-660 (2018)
19. Tashiro S., Le M.N.T., Kusama Y., Nakatani E., Suga M., Furue M.K., Satoh T., Sugiura S., Kanamori T., Ohnuma K.: High Cell Density Suppresses BMP4-Induced Differentiation of Human Pluripotent Stem Cells to Produce Macroscopic Spatial Patterning in a Unidirectional Perfusion Culture Chamber, *J. Biosci. Bioeng.*, **126**, 379-388 (2018)
20. Sumaru K., Takagi T., Morishita K., Satoh T., Kanamori T.: Fabrication of Pocket-Like Hydrogel Microstructures through Photolithography, *Soft Matter.*, **14**, 5710-5714 (2018)
21. Satoh T., Sugiura S., Shin K., Onuki-Nagasaki R., Ishida S., Kikuchi K., Kakiki M., Kanamori T.: A Multi-Throughput Multi-Organ-on-a-Chip System on a Plate Formatted Pneumatic Pressure-Driven Medium Circulation Platform, *Lab Chip*, **18**, 115-125 (2018)
22. Sumaru K., Takagi T., Morishita K., Kanamori T.: Photoresponsive Aqueous Dissolution of Poly(*N*-Isopropylacrylamide) Functionalized with *o*-Nitrobenzaldehyde through Phase Transition, *Biomacromol.*, **19**, 2913-2922 (2018)

23. Sumaru K., Takagi T., Satoh T., Kanamori T.: Photo- and Thermoresponsive Dehydration of Spiropyran-Functionalized Polymer Regulated by Molecular Recognition, *Macromol.Rapid Comm.*, **39**, 1700234 (2017)
24. Shimaoka T., Sonoyama M., Amii H., Takagi T., Kanamori T., Hasegawa T.: Study of Perfluoroalkyl Chain-Specific Band Shift in Infrared Spectra on the Chain Length, *J.Physi.Chem.A*, **121**, 8425-8431 (2017)
25. Sumaru K., Morishita K., Takagi T., Satoh T., Kanamori T.: Sectioning of Cultured Cell Monolayer Using Photo-Acid-Generating Substrate and Micro-Patterned Light Projection, *Eur.Poly.Sci.*, **93**, 733-742 (2017)
26. Kondo Y., Hattori K., Tashiro S., Nakatani E., Yoshimitsu R., Satoh T., Sugiura S., Kanamori T., Ohnuma K.: Compartmentalized Microfluidic Perfusion System to Culture Human Induced Pluripotent Stem Cell Aggregates, *J.Biosci.Bioeng.*, **124**, 234-241 (2017)
27. Tamura M., Sugiura S., Takagi T., Satoh T., Sumaru K., Kanamori T., Okada T., Matsui H.: Morphology-Based Optical Separation of Subpopulations from a Heterogeneous Murine Breast Cancer Cell Line, *PLOS ONE*, PONE-D-17-10502R2 (2017)
28. Sugiura S., Nakazawa K., Kanamori T., Ohnuma K.: Application of Microfluidics in Stem Cell Culture, In "Applications of Microfluidics", DOI: 10.5772/64714 (2016)
29. Shimoaka T., Tanaka Y., Shioya N., Morita K., Sonoyama M., Amii H., Takagi T., Kanamori T.: Surface Properties of a Single Perfluoroalkyl Group on Water Surfaces Studied by Surface Potential Measurements, *J.Colloid Interface Sci.*, **483**, 353-359 (2016)
30. Okamoto Y., Motegi T., Morita K., Takagi T., Amii H., Kanamori T., Sonoyama M., Tero R.: Lateral Diffusion and Molecular Interaction in a Bilayer Membrane Consisting of Partially Fluorinated Phospholipids, *Langmuir*, **41**, 10712-10718 (2016)
31. Satoh T., Narasaki G., Sugita R., Kobayashi H., Sugiura S., Kanamori T.: A Pneumatic Pressure-Driven Multi-Throughput Microfluidic Circulation Culture System, *Lab Chip*, **16**, 2339-2348

(2016)

32. Moriyama K., Sumaru K., Takagi T., Satoh T., Kanamori T.: Dynamically Controlled Construction of Microstructures Based on Photo-Induced Phase Transition of a Spirobenzopyran-Modified Polymer Solution, *RSC Adv.*, **6**, 44212-44215 (2016)
33. Okuda J., Tanaka Y., Kodama R., Sumaru K., Morishita K., Kanamori T., Yamazoe S., Hyodo K., Yamazaki S., Miyatake T., Yokojima S., Nakamura S., Uchida K.: Photoinduced Cytotoxicity of a Photochromic Diarylethene via Caspase Cascade Activation, *Chem. Comm.*, **51**, 10957-10960 (2015)
34. Tamura M., Yanagawa F., Sugiura S., Takagi T., Sumaru K., Kanamori T.: Click-Crosslinkable and Photodegradable Gelatin Hydrogels for Cytocompatible Optical Cell Manipulation in Natural Environment, *Sci.Rep.*, **5**, #15060, doi:10.1038/srep15060 (2015)
35. Satoh T., Sumaru K., Takagi T., Kanamori T.: Light Dose-Dependent Thickness Control of Photoacid Generator-Bearing Hydrogel, *Macromol.Symp.*, **358**, 52-58 (2015)
36. Kodama R., Sumaru K., Morishita K., Kanamori T., Hyodo K., Kamitanaka T., Morimoto M., Yokojima S., Nakamura S., Uchida K.: A Diarylethene as the SO₂ Gas Generator upon UV Irradiation, *Chem. Comm.*, **51**, 1736-1738 (2015)
37. Yanagawa F., Mizutani T., Sugiura S., Takagi T., Sumaru K., Kanamori T.: Partially Photodegradable Hybrid Hydrogels with Elasticity Tunable by Light Irradiation, *Colloids Surfaces B: Biointerfaces*, **126**, 575-579 (2015)
38. Yanagawa F., Sugiura S., Takagi T., Sumaru K., Camci-Unal G., Patel A., Khademhosseini A., Kanamori T.: Activated-Ester-Type Photocleavable Crosslinker for Preparation of Photodegradable Hydrogels Using a Two-Component Mixing Reaction, *Adv.Healthc.Mater.*, **4**, 246-254 (2015)
39. Hasegawa T., Shimoaka T., Tanaka Y., Shioya N., Morita K., Amii H., Sonoyama M., Takagi T., Kanamori T.: A Chemical Origin of Complicated Infrared Spectra of Perfluoroalkyl Compounds Involving a Normal Alkyl Group, *Chem.Lett.*, **44**, 834-836 (2015)
40. Yamahira S., Takasaki Y., Yamaguchi S., Sumaru K., Kanamori T., Nagamune T.: Dynamic Photo-Chemical Lipid Micropatterning for

Manipulation of Non-adherent Mammalian Cells, *Methods Cell Biol.*, **120**, 131-144 (2014)

41. Sumaru K., Kanamori T.: Cell Patterning by Micro-Pattern Projection of UV Light through Photo-Induced Enhancement of Cell Adhesion (PIECA), *Methods Cell Biol.*, **120**, 185-197 (2014)
42. Baba T., Takai T., Takagi T., Kanamori T.: Effect of the Fluorination Degree of Hydrophobic Chains on the Monolayer Behavior of Unsaturated Diacylphosphatidylcholines Bearing Partially Fluorinated 9-Octadecynoyl (Stearoyl) Groups at the Air-Water Interface, *Colloids Surf., B*, **246**-253 (2014)
43. Hasegawa T., Shimoaka T., Shioya N., Morita K., Sonoyama M., Takagi T., Kanamori T.: Stratified Dipole-Arrays Model Accounting for Bulk Properties Specific to Perfluoroalkyl Compounds, *CHEMPLUSCHEM*, **79**, 1421-1425 (2014)
44. Satoh T., Kodama K., Hattori K., Ichikawa S., Sugiura S., Kanamori T.: Pressure-Driven Microfluidic Device for Droplet Formation with Minimized Dead Volume, *J.Chem.Eng.Jpn.*, **47**, 841-847 (2014)
45. Satoh T., Kodama K., Hattori K., Ichikawa S., Sugiura S., Kanamori T.: Pressure-Driven Microfluidic Device for Droplet Formation with Minimized Dead Volume, *J.Chem.Eng.Jpn.*, **47**, 841-847 (2014)
46. Yamada R., Hattori K., Tachikawa S., Tagaya M., Sasaki T., Sugiura S., Kanamori T., Ohnuma K.: Control of Adhesion of Human Induced Pluripotent Stem Cells to Plasma-Patterned Polydimethylsiloxane Coated with Vitronectin and γ -Globulin, *J.Biosci.Bioeng.*, **118**, 315-322 (2014)
47. Saeki D., Sugiura S., Kanamori T., Sato S., Ichikawa S.: Microcompartmentalized Cell-Free Protein Synthesis in Semipermeable Microcapsules Composed of Polyethylenimine-Coated Alginate, *J.Biosci.Bioeng.*, **118**, 199-204 (2014)
48. Hattori K., Munehira Y., Sugiura S., Kobayashi H., Kanamori T.: Microfluidic Perfusion Culture Chip Providing Different Strengths of Shear Stress for Analysis of Vascular Endothelial Functions, *J.Biosci.Bioeng.*, **118**, 327-332 (2014)
49. Hattori K., Sugiura S., Kanamori T., Ohnuma K.: Is Microfluidic

Perfusion Culture the Future for Large-Scale Screening of Human-Induced Pluripotent Stem Cells?, *Pharm.Bioprocess*, **2**, 303–305 (2014)

50. Satoh T., Sugiura S., Sumaru K., Ozaki S., Gomi S., Kurakazu T., Oshima Y., Kanamori T.: Inverting Microwell Array Chip for the Cultivation of Human Induced Pluripotent Stem Cells with Controlled Aggregate Size and Geometrical Arrangement, *Biomicrofluidics*, **8**, 024112 (2014)
51. Yoshimitsu R., Hattori K., Sugiura S., Kondo Y., Yamada R., Tachikawa S., Satoh T., Kurisaki A., Ohnuma K., Asashima M., Kanamori T.: Microfluidic Perfusion Culture of Human Induced Pluripotent Stem Cells under Fully Defined Culture Conditions, *Biotech.Bioeng.*, **111**, 937-947 (2014)
52. Tamura M., Yanagawa F., Sugiura S., Takagi T., Sumaru K., Matsui H., Kanamori T.: Optical Cell Separation from Three-Dimensional Environment in Photodegradable Hydrogels for Pure Culture Techniques, *Sci.Rep.*, **4**, #4793, doi:10.1038/srep04793 (2014)
53. Sakai Y., Hattori K., Yanagawa F., Sugiura S., Kanamori T., Nakazawa K.: Detachably Assembled Microfluidic Device for Perfusion Culture and Post-Culture Analysis of a Spheroid Array, *Biotech.J.*, **9**, 971-979 (2014)
54. Filipcsei G., Sumaru K., Takagi T., Kanamori T., Zrinyi M.: Swelling Degree and Shape Change of Photo- and Thermo-Response of Spirobenzopyran-Functionalized Porous PNIPAAm Hydrogels, *J.Mol.Liq.*, **189**, 63-67 (2014)
55. Hattori K., Sugiura S., Kanamori T.: Microfluidic Perfusion Culture, In "Animal Cell Biotechnology", *Methods Mol.Biol.*, **1104**, 251-263 (2014)
56. Hattori K., Sugiura S., Kanamori T.: Pressure Driven Perfusion Culture Device for Integrated Dose-Response Assays, *J.Lab.Automation*, **18**, 437-445 (2013)
57. Baba T., Takai T., Takagi T., Kanamori T.: Effect of Perfluoroalkyl Chain Length on Monolayer Behavior of Partially Fluorinated Oleic Acid Molecules at the Air-Water Interface, *Chem.Phys.Lipids*, **172**, 31-39 (2013)
58. Hattori K., Yoshimitsu R., Sugiura S., Maruyama A., Ohnuma

- K., Kanamori T.: Masked Plasma Oxidation: Simple Micropatterning of Extracellular Matrix in a Closed Microchamber Array, *RSC Adv.*, **3**, 17749-17754 (2013)
59. Sumaru K., Takagi T., Satoh T., Kanamori T.: Photo-Induced Reversible Proton Dissociation of Spirobenzopyran in Aqueous Systems, *J.Photochem.Photobiol.A*, **261**, 46-52 (2013)
60. Yoshino M., Kikukawa T., Takahashi H., Takagi T., Yokoyama Y., Amii H., Baba T., Kanamori T., Sonoyama M.: Physicochemical Studies of Bacteriorhodopsin Reconstituted in Partially Fluorinated Phosphatidylcholine Bilayers, *J.Phys.Chem.B*, **117**, 5422-5429 (2013)
61. Takahashi H., Yoshino M., Takagi T., Amii H., Baba T., Kanamori T., Sonoyama M.: Non-Ideal Mixing of Dimyristoylphosphatidylcholine with its Partially Fluorinated Analogue in Hydrated Bilayer, *Chem.Phys.Lett.*, **559**, 107-111 (2013)
62. Sumaru K., Kikuchi K., Takagi T., Yamaguchi M., Satoh T., Morishita K., Kanamori T.: On-Demand Killing of Adherent Cells on Photo-Acid-Generating Culture Substrates, *Biotech.Bioeng.*, **110**, 348-352 (2013)
63. Yoshino M., Takahashi H., Takagi T., Baba T., Morita K., Amii H., Kanamori T., Sonoyama M.: Effect of Partial Fluorination in the Myristoyl Groups on Thermal and Interfacial Properties of Dimyristoylphosphatidylcholine, *Chem.Lett.*, **41**, 1495-1497 (2012)
64. Kanamori T., Mizoguchi K.: Solute-Removal Enhancement Caused by Local Convective Flow in a Hemodialyzer, *J.Artif.Organs*, **15**, 305-310 (2012)
65. Yamaguchi S., Yamahira S., Kikuchi K., Sumaru K., Kanamori T., Nagamune T.: Photocontrollable Dynamic Micropatterning of Non-Adherent Mammalian Cells Using a Photocleavable Poly(ethylene glycol) Lipid, *Angew.Chem.Int.Ed.*, **51**, 128-131 (2012)
66. Sugiura S., Kanamori T.: Comparison of Substance Supply in Static and Perfusion Cultures Based on Mass Transport Phenomena, *Biochem.Eng.J.*, **57**, 69-74 (2011)
67. Satoh T., Sumaru K., Takagi T., Kanamori T.: Fast-Reversible Light-Driven Hydrogels Consisting of Spirobenzopyran-

- Functionalized Poly(*N*-Isopropylacrylamide), *Soft Mater.*, **7**, 8030-8034 (2011)
68. Hattori K., Sugiura S., Kanamori T.: Scaffold Fabrication in a Perfusion Culture Microchamber Array Chip by O₂ Plasma Bonding of Poly(Dimethylsiloxane) Protected by a Physical Mask, *Biomicrofluidics*, **5**, 022204 (2011)
69. Sugiura S., Sakai Y., Nakazawa K., Kanamori T.: Superior Oxygen and Glucose Supply in Perfusion Cell Cultures Compared to Static Cell Cultures Demonstrated by Simulations Using the Finite Element Method, *Biomicrofluidics*, **5**, 022202 (2011)
70. Takagi T., Kanamori T.: Indium-Mediated Radical Addition of Perfluoroalkyl Iodide in Water, *J.Fluorine Chem.*, **132**, 427-429 (2011)
71. Satoh T., Sumaru K., Takagi T., Takai K., Kanamori T.: Isomerization of Spirobenzopyrans Bearing Electron-Donating and Electron-Withdrawing Groups in Acidic Aqueous Solutions, *Phys. Chem. Chem. Phys.*, **13**, 7322-7329 (2011)
72. Hattori K., Sugiura S., Kanamori T.: Microenvironment Array Chip for Cell Culture Environment Screening, *Lab Chip*, **11**, 212-214 (2011)
73. Sugiura S., Hattori K., Kanamori T.: Integrated Perfusion Culture Microchamber Array Chip for High-throughput Drug Dose Response Assay, *ECS Trans.*, **33(8)**, 197-207 (2010)
74. Sugiura S., Hattori K., Kanamori T.: Microfluidic Serial Dilution Cell-based Assay for Analyzing Drug Dose Response over a Wide Concentration Range, *Anal. Chem.*, **82**, 8278-8282 (2010)
75. Saeki D., Sugiura S., Kanamori T., Sato S., Ichikawa S.: Formation of Monodisperse Calcium Alginate Microbeads by Rupture of Water-in-Oil-in-Water Droplets with an Ultra-Thin Oil Phase Layer, *Lab Chip*, **10**, 2292-2295 (2010)
76. Yamada K., Oda T., Hashimoto S., Enomoto T., Ohkohchi N., Ikeda H., Yanagihara H., Kishimoto M., Kita E., Tasaki A., Satake M., Ikehata Y., Nagase H., Nagano I., Takagi T., Kanamori T.: Minimally Required Heat Doses for Various Tumor Sizes in Induction Heating Cancer Therapy Determined by Computer Simulation Using Experimental Data, *Int.J.Hyperthermia*, **26**, 465-

77. Kita E., Hashimoto S., Kayano T., Minagawa M., Yanagihara H., Kishimoto M., Yamada K.-I., Oda T., Ohkohchi N., Takagi T., Kanamori T., Ikehata Y., Nagano I.: Heating Characteristics of Ferromagnetic Iron Oxide Nanoparticles for Magnetic Hyperthermia, *J.Appl.Phys.*, **107**, 09B321-323 (2010)
78. Hattori K., Sugiura S., Kanamori T.: On-Chip Cell Culture on a Microarray of Extracellular Matrix with Surface Modification of Poly(Dimethylsiloxane), *Biotech.J.*, **5**, 463-469 (2010)
79. Saeki D., Sugiura S., Kanamori T., Sato S., Ichikawa S.: Microfluidic Preparation of Water-in-Oil-in-Water Emulsions with an Ultra-thin Oil Phase Layer, *Lab Chip*, **10**, 357-362 (2010)
80. Sugiura S., Hattori K., Kanamori T.: Cell Culture Condition Control in Perfusion Culture Microchamber Array, *J.Biosci.Bioeng.*, **108**, S157 -S158 (2009)
81. Sugiura S., Hattori K., Kanamori T.: Integrated Perfusion Culture Microchamber Array Chip with Serial Dilution Microfluidic Network for High Throughput Drug Dose Response Assay, *J.Biosci.Bioeng.*, **108**, S154 (2009)
82. Hashimoto S., Oda T., Yamada K., Takagi M., Enomoto T., Ohkohchi N., Takagi T., Kanamori T., Ikeda H., Yanagihara H., Kita E., Tasaki A.: The Measurement of Small Magnetic Signals from Magnetic Nanoparticles Attached to the Cell Surface and Surrounding Living Cells Using a General-purpose SQUID Magnetometer, *Phys.Med.Biol.*, **54**, 2571-2583 (2009)
83. Hattori K., Sugiura S., Kanamori T.: Generation of Arbitrary Concentration Profiles by a Serial Dilution Microfluidic Network Composed of Microchannels with a High Fluidic-Resistance Ratio, *Lab Chip*, **9**, 1763-1772 (2009)
84. Kikuchi K., Sumaru K., Edahiro J., Ooshima Y., Sugiura S., Takagi T., Kanamori T.: Stepwise Assembly of Micropatterned Co-Cultures Using Photo-Responsive Culture Surfaces and Its Application to Hepatic Tissue Arrays, *Biotech.Bioeng.*, **103**, 552-561 (2009)
85. Sugiura S., Szilágyi A., Sumaru K., Hattori K., Takagi T., Zrínyi M., Kanamori T.: On-demand Microfluidic Control by

Micropatterned Light Irradiation of a Photo-Responsive Hydrogel Sheet, *Lab Chip*, **9**, 196-198 (2009)

86. Edahiro J., Sumaru K., Ohshima Y., Kanamori T.: Selective Separation and Co-Culture of Cells by Photo-Induced Enhancement of Cell Adhesion (PIECA), *Biotech.Bioeng.*, **102**, 1278-1282 (2009)
87. Sugiura S., Imano W., Takagi T., Sakai K., Kanamori T.: Thermoresponsive Protein Adsorption on Microchannel Surface Using Poly(*N*-Isopropylacrylamide) Modified Streptavidin and Polydimethylsiloxane, *Biosens.Bioelectron.*, **24**, 1135-1140 (2009)
88. Saeki D., Sugiura S., Kanamori T., Sato S., Mukataka S., Ichikawa S.: Highly Productive Droplet Formation by Anisotropic Elongation of a Thread Flow in a Microchannel, *Langmuir*, **24**, 13809-13813 (2008)
89. Takai K., Takagi T., Baba T., Kanamori T.: Synthesis and Monolayer Properties of Double-chained Phosphatidylcholines Containing Perfluoroalkyl Groups of Different Length, *J.Fluorine Chem.*, **129**, 686-690 (2008)
90. Sugiura S., Edahiro J., Kikuchi K., Sumaru K., Kanamori T.: Pressure-driven Perfusion Culture Microchamber Array for Parallel Drug Cytotoxicity Assay, *Biotech.Bioeng.*, **100**, 1156-1165 (2008)
91. Sugiura S., Edahiro J., Sumaru K., Kanamori T.: Surface Modification of Polydimethylsiloxane with Photo-Grafted Poly(Ethylene Glycol) for Micropatterned Protein Adsorption and Cell Adhesion, *Colloids Surfaces B: Biointerfaces*, **163**, 301-305 (2008)
92. Okamura A., Hagiwara T., Yamagami S., Yamaguchi M., Kanamori T., Shinbo T., Kondo S., Miwa K., Itagaki I.: Effective Cell Separation Utilizing Poly(*N*-Isopropylacrylamide)-Grafted Polypropylene Membrane Containing Adsorbed Antibody, *J.Biosci.Bioeng.*, **105**, 221-225 (2008)
93. Saeki D., Sugiura S., Baba T., Kanamori T., Sato S., Mukataka H., Ichikawa S.: Dynamic Interaction between Oppositely Charged Vesicles: Aggregation, Lipid Mixing and Disaggregation, *J.Colloid Interface Sci.*, **320**, 611-614 (2008)
94. Edahiro J., Sumaru K., Takagi T., Shinbo T., Kanamori T., Sudoh M.: Analysis of Photoresponsive Hydration of Photochromic Poly(*N*-

- Isopropylacrylamide) Thin Layer by Quartz Crystal Microbalance, *Eur. Polym.J.*, **44**, 300-307 (2008)
95. Sugiura S., Sumaru K., Ohi K., Hiroki K., Takagi T., Kanamori T.: Photoresponsive Polymer Gel Microvalves Controlled by Local Light Irradiation, *Sens. Actuator A-Phys.*, **140**, 176-184 (2007)
96. Sumaru K., Sugiura S., Kanamori T.: Optimal Design of Cell Culture Chip on the Basis of Oxygen and Glucose Supply to Cultivated Cells in the Chip, *Biochem. Eng.J.*, **36**, 304-309 (2007)
97. Szilágyi A., Sumaru K., Sugiura S., Takagi T., Shinbo T., Zrínyi M., Kanamori T.: Rewritable Microrelief Formation on Photoresponsive Hydrogel Layers, *Chem. Mater.*, **19**, 2730-2732 (2007)
98. Sumaru K., Ooshima Y., Kanamori T., Shinbo T.: Manipulation of Living Cells by Using PC-Controlled Micro-Pattern Projection System, *Biosens. Bioelectron.*, **22**, 2356-2359 (2007)
99. Takagi T., Takai K., Baba T., Kanamori T.: Synthesis of Phospholipids Containing Perfluorooctyl Group and Their Interfacial Properties, *J. Fluorine Chem.*, **128**, 133-138 (2007)
100. Takai K., Takagi T., Baba T., Kanamori T.: Synthesis and Characterization of Partially Fluorinated Stearolic Acid Analogs: Effect of Their Fluorine Content on the Monolayer at the Air-Water Interface, *J. Fluorine Chem.*, **128**, 120-126 (2007)
101. Kusumocahyo S.P., Kanamori T., Iwatsubo T., Sumaru K., Shinbo T., Matsuyama H., Teramoto M.: Modification of Preparation Method for Polymer Inclusion Membrane (PIM) to Produce Hollow Fiber PIM, *J. Appli. Polym. Sci.*, **102**, 4372-4377 (2006)
102. Kusumocahyo S.P., Sumaru K., Iwatsubo T., Shinbo T., Kanamori T., Matsuyama H., Teramoto M.: Quantitative Analysis of Transport Process of Cerium(III) Ion through Polymer Inclusion Membrane Containing *N,N,N',N'*-Tetraoctyl-3-Oxapentanediamide (TODGA) As Carrier, *J. Membr. Sci.*, **280**, 73-81 (2006)
103. Edahiro J., Sumaru K., Takagi T., Shinbo T., Kanamori T.: Photoresponse of Aqueous Two-phase System Containing Photochromic Dextran, *Langmuir*, **22**, 5224-5226 (2006)
104. Sumaru K., Ohi K., Takagi T., Kanamori T., Shinbo T.: Photoresponsive Properties of Poly(*N*-Isopropylacrylamide) Hydrogel

Partly Modified with Spirobenzopyran, *Langmuir*, **22**, 4353-4356 (2006)

105. Iwatsubo T., Sumaru K., Kanamori T., Shinbo T., Yamaguchi T.: Construction of a New Biomineralization System, *Biomacromolecules*, **7**, 95-100 (2006)
106. Iwatsubo T., Kusumocahyo S.P., Kanamori T., Shinbo T.: Mineralization of Hydroxyapatite on a Polymer Substrate in a Solution Supersaturated by Polyelectrolyte, *J.Appl.Polym.Sci.*, **100**, 1465-1470 (2006)
107. Tada Y., Sumaru K., Kameda M., Ohi K., Takagi T., Kanamori T., Yoshimi Y.: Development of a Photoresponsive Cell Culture Surfaces: Regional Enhancement of Living Cell Adhesion Induced by Local Light Irradiation, *J.Appl.Polym.Sci.*, **100**, 495-499 (2006)
108. Hiratani K., Kusumocahyo S.P., Kameta N., Sugaya K., Shinbo T., Kanamori T.: Synthesis of Noncyclic Carriers for Cerium Ion Transport through Polymer Inclusion Membrane, *Chem.Lett.*, **34**, 1636-1637 (2005)
109. Edahiro J., Yamada M., Seike S., Kakigi Y., Miyanaga K., Nakamura M., Kanamori T., Seki M.: Separation of Cultured Strawberry Cells Producing Anthocyanins in Aqueous Two-Phase System, *J.Biosci.Bioeng.*, **100**, 449-454 (2005)
110. Kusumocahyo S.P., Ichikawa T., Shinbo T., Iwatsubo T., Kameda M., Ohi K., Yoshimi Y., Kanamori T.: Pervaporative Separation of Organic Mixtures Using Dinitrophenyl-Group-Containing Cellulose Acetate Membrane, *J.Membr.Sci.*, **253**, 43-48 (2005)
111. Edahiro J., Sumaru K., Tada Y., Ohi K., Takagi T., Kameda M., Shinbo T., Kanamori T., Yoshimi Y.: *In-situ* Control of Cell Adhesion Using Photoresponsive Culture Surface, *Biomacromolecules*, **6**, 970-974 (2005)
112. Okamura A., Itayagoshi M., Hagiwara T., Yamaguchi M., Kanamori T., Shinbo T., Wang P.-C.: Poly(*N*-Isopropylacrylamide)-Graft-Polypropylene Membrane Containing Adsorbed Antibody for Cell Separation, *Biomaterials*, **26**, 1287-1292 (2005)
113. Yamaguchi M., Shinbo T., Kanamori T., Wang P.-C., Niwa M., Kawakami H., Nagaoka S., Hirakawa K., Kamiya M.: Surface Modification of Poly(*L*-Lactic Acid) Affects Initial Cell Attachment,

- Cell Morphology, and Cell Growth, *J.Artif.Organs*, **7**, 187-193 (2004)
114. Takai K., Takagi T., Baba T., Kanamori T.: Highly Fluorinated C18 Fatty Acids: Synthesis and Interfacial Stability, *J.Fluorine Chem.*, **125**, 1959-1964 (2004)
115. Kusumocahyo S.P., Kanamori T., Sumaru K., Aomatsu S., Matsuyama H., Teramoto M., Shinbo T.: Development of Polymer Inclusion Membranes Based on Cellulose Triacetate: Carrier Mediated Transport of Cerium(III), *J.Membr.Sci.*, **244**, 251-257 (2004)
116. Sumaru K., Kameda M., Kanamori T., Shinbo T.: Reversible and Efficient Proton Dissociation and Spirobenzopyran-Functionalized Poly(*N*-Isopropylacrylamide) in Aqueous Solution Triggered by Light Irradiation and Temporary Temperature Rise, *Macromolecules*, **37**, 7854-7856 (2004)
117. Kameda M., Sumaru K., Kanamori T., Shinbo T.: Probing Dielectric Environment Surrounding Poly(*N*-Isopropylacrylamide) in Aqueous Solution with Covalently Attached Spirobenzopyran, *Langmuir*, **20**, 9315-9319 (2004)
118. Sumaru K., Kanamori T.: Optimal Design of Bio-Hybrid Systems with a Hollow Fiber Scaffold: Model Analysis of Oxygen Diffusion/Consumption, *Biochem.Eng.J.*, **20**, 127-136 (2004)
119. Sumaru K., Kameda M., Kanamori T., Shinbo T.: Characteristic Phase Transition of Aqueous Solution of Poly(*N*-isopropylacrylamide) Functionalized with Spirobenzopyran: Logic-Gate Response to Light Irradiation and Changes in Temperature and pH, *Macromolecules*, **37**, 4949-4955 (2004)
120. Niwa M., Kawakami H., Nagaoka S., Kanamori T., Morisaku K., Shinbo T., Matsuda T., Sakai K., Kubota S.: Development of a Novel Polyimide Hollow Fiber Oxygenator, *Artif.Organs*, **28**, 487-495 (2004)
121. Kim S.-Y., Noumi Y., Wang P.-C., Kanamori T., Shinbo T.: Preparation of Porous Poly(D,L-Lactide) and Poly(D,L-Lactide-co-Glycolide) Membranes by a Phase Inversion Process and Investigation of Their Morphological Changes as Cell-Culture Scaffolds, *J.Appl.Polym.Sci.*, **92**, 2082-2092 (2004)
122. Iwatsubo T., Sumaru K., Kanamori T., Yamaguchi T., Shinbo T.: Preferential Mineralizartion of CaCO₃ Layers on Polymer Surfaces

- from CaCl_2 and Water-Soluble Carbonate Salt Solutions Supersaturated by Poly(Acriric Acid), *J.Appli.Poym.Sci.*, **91**, 3627-3634 (2004)
123. Kusumocahyo S.P., Sumaru K., Kanamori T., Iwatsubo T., Shinbo T.: Pervaporation of Xylene Isomer Mixture through Cyclodextrins Containing Polyacrylic Acid Membranes, *J.Membr.Sci.*, **231**, 127-132 (2004)
124. Niwa M., Kawakami H., Kanamori T., Shinbo T., Kaito A., Nagaoka S.: Surface Orientation Effect of Asymmetric Polyimide Hollow Fibers on Their Gas Transport Properties, *J.Membr.Sci.*, **230**, 141-148 (2004)
125. Kusumocahyo S.P., Sumaru K., Kanamori T., Iwatsubo T., Shinbo T.: Synthesis and Characterization of an Ultrathin Polyion Complex Membrane Containing \square -Cyclodextrin for Separation of Organic Isomers, *J.Membr.Sci.*, **230**, 171-174 (2004)
126. Kawakami H., Kanamori T., Kubota S.: Development of a Fluorinated Polyimide Hollow Fiber for Medical Devices, *J.Artif.Organs*, **6**, 124-129 (2003)
127. Kanamori T., Yanagi K., Shinbo T., Ohshima N.: System Design of BAL (Bioartificial Liver) with High Performance Hemodialyzer As Immunoisolator Using Mathematical Kinetic Model, *Int.J.Artif.Organs*, **26**, 308-318 (2003)
128. Kameda M., Sumaru K., Kanamori T., Shinbo T.: Photoresponse Gas Permeability of Azobenzene-functionalized Glassy Polymer Films, *J.Appli.Poym.Sci.*, **88**, 2068-2072 (2003)
129. Kusumocahyo S.P., Kanamori T., Iwatsubo T., Sumaru K., Shinbo T.: Development of Polyion Complex Membranes Based on Cellulose Acetate Modified by Oxygen Plasma Treatment for Pervaporation, *J.Membr.Sci.*, **208**, 223-231 (2002)
130. Kim S.-Y., Kanamori T., Shinbo T.: Preparation of Thermal-Responsive Poly(Propylene) Membranes Grafted with *N*-isopropylacrylamide by Plasma-Induced Polymerization and Their Water Permeation, *J.Appl.Polym.Sci.*, **84**, 1168-1177 (2002)
131. Kanamori T., Shinbo T., Niwa M., Kawakami H., Nagaoka S., Sakai K., Matsuda T., Kamiya M.: Development of Artificial Lung for Long-Term Use Using Hollow-Fiber Asymmetric Membrane Prepared

- from Novel Fluorinated Polyimides, *New Tech.Jpn.*, **28**, 11-12 (2001)
132. Niwa M., Kawakami H., Nagaoka S., Kanamori T., Shinbo T., Kaito A.: Gas Separation of Asymmetric 6FDA Polyimide Membrane with Oriented Surface Skin Layer, *Macromolecules*, **34**, 9039-9034 (2001)
133. Niwa M., Kawakami H., Kanno M., Nagaoka S., Kanamori T., Shinbo T., Kubota S.: Gas Transfer and Blood Compatibility of Asymmetric Polyimide Hollow Fiber, *J.Biomater.Sci.Polym.Edn.*, **12**, 533-542 (2001)
134. Kanamori T., Ohmori T., Yamaguchi T., Shinbo T.: Oscillations with a Long Periodical Time Observed in Solute Transport by Diffusion Combined with Convection through a Single Hollow-Fiber Membrane, *J.Membr.Sci.*, **184**, 287-292 (2001)
135. Shinbo T., Shimabukuro Y., Kanamori T., Iwatsubo T., Nagawa Y., Hiratani K.: Separation of Aromatic Isomers on Cyclophane-Bonded Stationary Phases, *J.Chromatogr.A*, **877**, 61-69 (2000)
136. Kanamori T., Niwa M., Kawakami H., Shinbo T., Nagaoka S.: Preparation of Asymmetric Hollow-fiber Membrane with Ultrathin Dense Skin Layer on the Outer Surface Using Dry/ Wet Phase Inversion Process, *Macromol.Sympo.*, **160**, 233-237 (2000)
137. Kanamori T., Niwa M., Kawakami H., Mori Y., Nagaoka S., Haraya K., Shinbo T.: An Estimate of Gas Transfer Rates of Intravascular Membrane Oxygenator, *ASAIO J.*, **46**, 612-619 (2000)
138. Kanamori T., Shinbo T.: Mass Transfer of a Solute by Diffusion with Convection around a Single Hollow-Fiber Membrane for Hemodialysis, *Desalination*, **129**, 217-225 (2000)
139. Kanamori T., Habu T., Shinbo T., Sakai K.: Difference in Solute Diffusivity in Cross-Linked Collagen Gels Prepared under Various Conditions, *Mater.Sci.Eng.C*, **13**, 85-89 (2000)
140. Niwa M., Kawakami H., Nagaoka S., Kanamori T., Shinbo T.: Fabrication of an Asymmetric Polyimide Hollow Fiber with a Defect-Free Surface Skin Layer, *J.Membr.Sci.*, **171**, 253-261 (2000)
141. Kim J.-Y., Kim Y.-D., Kanamori T., Lee H.-K., Baik K.-J., Kim S.-C.: Vitrification Phenomena in Polysulfone/ NMP/ Water System, *J.Appl.Polym.Sci.*, **71**, 431-438 (1999)
142. Kanamori T., Shinbo T., Sakai K.: Practicability of Wearable

- Artificial Kidney Using Presently Commercially Available Hollow-fiber Membrane, *J.Artif.Organs*, **1**, 69-75 (1998)
143. Kanamori T., Shinbo T., Sakai K.: Size of Polymeric Particles Forming Hemodialysis Membranes Determined from Water and Solute Permeabilities, Water Content and Volume Fraction of Freezable Water, *J.Appl.Polym.Sci.*, **67**, 833-840 (1998)
144. Shinbo T., Sudo Y., Shimabukuro Y., Kanamori T., Masuoka T., Iwastubo T., Yamasaki A., Ogasawara K., Mizoguchi K.: Preparation of a Cyclophane-Bonded Stationary Phase and Its Application to Separation of Naphthalene Derivatives, *J.Chromatogr.A*, **803**, 895-101 (1998)
145. Kawakami H., Mori Y., Takagi J., Nagaoka S., Kanamori T., Shinbo T., Kubota S.: Development of a Novel Polyimide Hollow Fiber for Intravascular Oxygenator Device, *ASAIO J.*, **43**, M490-M493 (1997)
146. Kanamori T., Sakai K.: Comparison of Urea Removals between Hemodialysis and Continuous Ambulatory Peritoneal Dialysis Using a Mathematical Kinetic Model, *Int.J.Artifi.Organs*, **20**, 158-162 (1997)
147. Iwatubo T., Ogasawara K., Kanamori T., Yamasaki A., Masuoka T., Shinbo T., Mizoguchi K.: Simple Thermodynamics of Macroscopic Phase Separation in Shrinking Gels, *J.Chem.Soc., Faraday Trans.*, **92**, 1537-1542 (1996)
148. Kanamori T., Takeshita T., Sakai K.: Mass Transfer of Antibiotics Adsorbed by Human Serum Albumin in Hemodialyzers, *Biotech.Progr.*, **12**, 503-509 (1996)
149. Kanamori T., Sakai K.: Effect of Mass Transfer between Plasma and Erythrocyte Interior on Evaluating Dialyzer Performance, *Artif.Organs Today*, **5**, 101-112 (1995)
150. Kanamori T., Sakai K.: An Estimate of Beta-2-Microglobulin Deposition Rate in Uremic Patients on Hemodialysis Using a Mathematical Kinetic Model, *Kidney Int.*, **47**, 1453-1457 (1995)
151. Kanamori T., Sakai K., Fukuda M., Yamashita Y.: Preferable Structure of Polyethylene Glycol for Grafting on a Cellulosic Membrane to Increase Hemocompatibility without Reduction in Solute Permeability of the Membrane, *J.Appl.Polym.Sci.*, **55**, 1601-

1605 (1995)

152. Kanamori T., Fukuda M., Sakai K.: Structural Analysis of Hemodialysis Membranes by Evaluating Distribution Volume of Water Contained in the Membranes, *J.Colloid Interface Sci.*, **171**, 361-365 (1995)
153. Kanamori T., Sakai K., Awaka T., Fukuda M.: Mass Transfer in Laminar Flows Around Single Hollow-Fiber Membranes for Hemodialysis, *J.Chem.Eng.Jpn.*, **27**, 830-832 (1994)
154. Kanamori T., Sakai K., Awaka T., Fukuda M.: An Improvement on the Method of Determining the Solute Permeability of Hollow-Fiber Dialysis Membranes Photometrically Using Optical Fiber and Comparison of the Method with Ordinary Techniques, *J.Membr.Sci.*, **88**, 159-165 (1994)
155. Kawagoishi N., Nojiri C., Senshu K., Kido T., Nagai H., Kanamori T., Sakai K., Koyanagi H.: *In Vitro* Evaluation of Platelet/Biomaterial Interactions in an Epifluorescent Video Microscopy (EVM) Combined with a Parallel Plate Flow Cell, *Artif.Organs*, **18**, 588-595 (1994)
156. Sakai K., Kanamori T., Nakasato S.: Usefulness of KT/V in Comparing the Adequacy of Hemodialysis and Continuous Ambulatory Peritoneal Dialysis, *Artif.Organs Today*, **3**, 81-83 (1993)
157. Hosoya N., Kanamori T., Sakai K.: Optimal Design of a High-Performance Dialyzer Involving Backfiltration, *Artif.Organs Today*, **2**, 287-298 (1993)
158. Fukuda M., Hosoya N., Kanamori T., Sakai K., Nishikido J., Watanabe T., Fushimi F.: Determination of Optimal Fiber Density of Conventional and High Performance Dialyzers, *Artif.Organs Today*, **2**, 205-214 (1992)
159. Hagiwara K., Kanamori T., Sakai K.: Diffusive Permeability for Inorganic Phosphate Ion of Cuprophan and Hemophan Membranes, *Blood Purifi.*, **9**, 51 (1991)
160. Sakai K., Tashiro K., Sakurai H., Kanamori T., Torii M., Ohshima M., Higuchi J., Sakai T.: Factors Affecting Plasma and Blood Viscosity and Corresponding Abnormalities in Renal Failure Patients, *Chem.Eng.J.*, **36**, B7-B13 (1987)